

Shannon Point Marine Center

Chemical Hygiene Plan

Chemical Hygiene Officer (CHO): Gene McKeen (ME 144) (360) 650-7400,
gene.mckeen@wwu.edu

Supervisor of Marine Chemistry Facilities: Kathy Van Alstyne (ME 142), (360) 650-7400,
kathy.vanalstyne@wwu.edu

Marine Chemistry Technician: Horng-Yuh Lee (ME 39) (360) 650-7400, horng-
yuh.lee@wwu.edu

REVISED: MARCH 22, 2012 (NON-HIGHLIGHTED SECTIONS ARE UNIVERSITY-WIDE
REGULATIONS; HIGHLIGHTED SECTIONS ARE SPECIFIC TO SPMC OPERATIONS)

| | | |
|-------|--|----|
| 1.0 | Purpose..... | 3 |
| 2.0 | Scope..... | 3 |
| 3.0 | Definitions..... | 3 |
| 4.0 | Responsibilities..... | 7 |
| 4.1 | Chemical Hygiene Officer..... | 7 |
| 4.2 | Department Chemical Hygiene Officer..... | 7 |
| 4.3 | Laboratory Supervisor / Principle Investigator..... | 8 |
| 4.4 | Laboratory Employee / Worker..... | 8 |
| 4.5 | SPMC Chemical Control Board..... | 8 |
| 5.0 | Standard Operating Procedures..... | 9 |
| 5.1 | General Safety Guidelines..... | 9 |
| 5.2 | Unattended Operations..... | 9 |
| 5.3 | Personal Hygiene..... | 10 |
| 5.4 | Personal Protective equipment..... | 10 |
| 5.5 | Clothing..... | 11 |
| 5.6 | Housekeeping..... | 11 |
| 5.7 | Operations Requiring Prior Approval..... | 11 |
| 5.8 | Planning Chemical Laboratory Experiments..... | 12 |
| 5.9 | Emergency Procedures..... | 12 |
| 5.10 | Accidents and Accident Reporting..... | 12 |
| 6.0 | Chemical Procurement, Distribution, and Storage..... | 13 |
| 7.0 | Hazard Identification..... | 14 |
| 8.0 | Environmental Monitoring..... | 15 |
| 9.0 | Maintenance and Inspections..... | 15 |
| 10.0 | Medical Program..... | 16 |
| 11.0 | Emergency Equipment..... | 17 |
| 11.1 | General..... | 17 |
| 11.2 | Fire Extinguishers..... | 17 |
| 11.3 | Fire Alarms..... | 17 |
| 11.4 | Fire Doors..... | 17 |
| 11.5 | Smoke or Heat Detectors..... | 18 |
| 11.6 | Safety Showers..... | 18 |
| 11.7 | Eyewashes..... | 18 |
| 11.8 | First Aid Kits..... | 18 |
| 11.9 | Emergency Lighting..... | 18 |
| 11.10 | Fire Suppression Systems..... | 18 |
| 11.11 | Emergency Blankets..... | 18 |
| 12.0 | Record Keeping..... | 18 |
| 13.0 | Employee Training..... | 19 |
| 14.0 | Waste Disposal Procedures..... | 20 |
| 15.0 | Ventilation..... | 20 |
| 16.0 | Chemical Handling Procedures..... | 20 |
| 16.1 | Flammable Liquids..... | 20 |
| 16.2 | Corrosive Chemicals..... | 21 |
| 16.3 | Reactive Chemicals..... | 22 |
| 16.4 | Compressed Gases..... | 22 |

| | | |
|------|---|----|
| 16.5 | Carcinogens, Mutagens, Teratogens, and Reproductive Toxins | 23 |
| 16.6 | Toxic Metals..... | 23 |
| 16.7 | Radionuclides..... | 24 |
| 17.0 | Substances of Moderate to High Chronic Toxicity or High Acute Toxicity (Including Select Carcinogens)..... | 25 |
| 17.1 | Use of Designated Areas..... | 25 |
| 17.2 | Storage..... | 25 |
| 17.3 | Controls..... | 25 |
| 18.0 | Laboratory Chemicals on Boats..... | 26 |
| | | |
| | Appendix 7A – Glove Selection Chart..... | 27 |
| | Appendix 7B – Sample Employee Training Record..... | 28 |
| | Appendix 7C – Chemical Information..... | 29 |
| | Table 7-1. Classes of Carcinogenic Compounds..... | 29 |
| | Table 7-2 – Partial List of Incompatible Chemicals | 31 |
| | Table 7-3 – Partial List of Flammable Liquids..... | 33 |
| | Table 7-4 – Partial List of Corrosives..... | 34 |
| | Table 7-5 – Partial List of Reactive Chemicals..... | 35 |
| | Table 7-6 – Compressed and Liquefied Gases | 37 |
| | Table 7-7 – Partial List of Select Carcinogens..... | 39 |
| | Table 7-8 – Regulated Carcinogens..... | 40 |
| | Table 7-9 –Partial List of Reproductive Toxins (Teratogens)..... | 43 |
| | Table 7-10 – Toxic Metals and Toxic Metal Compounds..... | 44 |
| | Appendix 7D - Department Specific Information..... | 45 |
| | Table 7D-1 – Locations of Designated Areas..... | 45 |
| | Table 7D-2 –Chemical Hygiene Personnel..... | 46 |

1.0 PURPOSE

The purpose of this Chemical Hygiene Plan (CHP) is to describe laboratory work practices and procedures which are necessary to ensure that University laboratory employees are protected from health hazards associated with many hazardous chemicals used in laboratories. The CHP addresses this objective by including the requirements of the state safety and health regulation, Occupational Exposure to Hazardous Chemicals in Laboratories (Laboratory Standard promulgated by the Washington State Department of Labor and Industries in Title 296, Washington Administrative Code, Part 62-400, based on Title 29, Code of Federal Regulation, Part 1910.1450).

2.0 SCOPE

The Chemical Hygiene Plan applies to all *laboratory employees* working on *laboratory scale* operations involving *laboratory use of hazardous chemicals*. (See Part 3 for definitions of these terms.) The Chemical Hygiene Plan also encompasses non-laboratory employees required to enter a laboratory where potential exposure may occur.

This Chemical Hygiene Plan does not apply to laboratories where the use of hazardous chemicals provides no potential for employee exposure, such as in procedures using chemically impregnated test media and commercially prepared test kits.

In general, the protective procedures and information described in this section are applicable to students, except when their exposures are minimal.

3.0 DEFINITIONS

Action Level: A concentration of a specific substance calculated as an 8-hour time weighted average (TWA), which initiates certain required activities as designated in WAC 296-62.

Administrative Controls: Operating procedures and policies that serve to reduce the risk of exposure to hazardous materials, such as minimum purchasing and storage, use of alternate materials, and controlled access to materials.

Ceiling Limit: The maximum concentration of a contaminant in breathing air which may not be exceeded for any length of time.

Chemical Hygiene Officer (CHO): An employee qualified by training or experience to provide technical guidance in the development and implementation of the provisions of the Chemical Hygiene Plan. (See Parts 4.1 and 4.2.)

Chemical Hygiene Plan (CHP): A written program which sets forth procedures, equipment, personal protective equipment, and work practices that are capable of protecting employees from the health hazards presented by hazardous chemicals used in the laboratory.

Control(s): Equipment, wearing apparel, or prescribed procedures which, when in good working order and properly used, will prevent laboratory employees from being exposed to hazardous materials.

Designated Area: An area which may be used for work with select carcinogens, reproductive toxins, or substances which have a high degree of acute toxicity. A designated area may be an entire laboratory, a section of a laboratory, or a device within a laboratory, such as a fume hood.

Engineering Control: A device or apparatus designated to contain or reduce the risk of hazardous materials. Examples include ventilation, laboratory fume hoods, and shielding. Personal protective equipment such as gloves and face shields are not engineering controls.

Exposure: Physical contact of a person with any material (solid, liquid, or gas) or any form of energy (temperature extreme, electricity, laser, ionizing or non-ionizing radiation, etc.).

Exposure Assessment: The gathering of information by one or more of the following methods for the purpose of estimating the extent of exposure.

- Interview,
- Inspection,
- Sampling and analysis of air, water, etc.,
- Investigation of materials and/or procedures used,
- Medical evaluation, and
- Other forms of inquiry as deemed appropriate by the Chemical Hygiene Officer.

Hazardous Chemical / Hazardous Substance / Hazardous Energy: A chemical, substance, or form of energy for which there is statistically significant evidence, based on at least one scientific study, that acute or chronic health effects may result from exposure to that chemical, substance or energy. This definition includes substances which present both physical and health hazards.

Health Hazard: Health hazards include chemicals which are carcinogens, toxic or highly toxic agents, reproductive toxins, irritants, corrosives, sensitizers, hepatotoxins, nephrotoxins, neurotoxins, agents which act on the hematopoietic systems, and agents which damage the lungs, skin, eyes or mucous membranes.

Highly Toxic Chemical: A chemical falling within any of the following categories:

(a) A chemical that has a median lethal dose (LD₅₀) of 50 milligrams or less per kilogram of body weight when administered orally to albino rats weighing between 200 and 300 grams each.

(b) A chemical that has a median lethal dose (LD₅₀) of 200 milligrams or less per kilogram of body weight when administered by continuous contact for 24 hours (or less if death occurs within 24 hours) with the bare skin of albino rabbits weighing between two and three kilograms each.

(c) A chemical that has a median lethal concentration (LC₅₀) in air of 200 parts per million by volume or less of gas or vapor, or 2 milligrams per liter or less of mist, fume, or dust, when administered by continuous inhalation for one hour (or less if death occurs within one hour) to albino rats weighing between 200 and 300 grams each.

Laboratory: A facility where laboratory use of relatively small quantities of hazardous chemicals are used on a non-production basis.

Laboratory Employee / Worker: An individual employed in a laboratory workplace who may be exposed to hazardous chemicals in the course of his or her assignments.

Laboratory Scale: Work with substances involving containers that can be easily and safely manipulated by one person.

Laboratory Use of Hazardous Chemicals: The handling or use of chemicals on a laboratory scale in which all of the following conditions are met:

- Multiple chemical procedures or chemical substances are used.
- Procedures involved are not part of a production process nor in any way simulate a production process.
- Protective laboratory practices and equipment are available and in common use to minimize the potential for employee exposure to hazardous chemicals.

Lower Flammable Limit (LFL) / Lower Explosive Limit (LEL): The minimum concentration (percent by volume) of flammable vapor in air below which the mixture cannot be ignited.

Permissible Exposure Level (PEL): The maximum concentration of a contaminant in breathing air to which a laboratory worker may be legally exposed, as an 8-hour weighted average.

Physical Hazard: A substance for which there is scientifically valid evidence that it is a combustible liquid, a compressed gas, explosive, flammable, an organic peroxide, an oxidizer, pyrophoric (ignites spontaneously in air), unstable (reactive) or water-reactive. Substances, processes, and forms of energy are also considered to be physical hazards if they involve a potential for skin or eye contact with a hot or cold material, surface, or source of energy sufficient to cause tissue damage or loss of eyesight.

Reproductive Toxins: Chemicals that affect the reproductive capabilities, including chromosomal damage (mutations) and effects on fetuses (teratogeneses).

Required Respirator: An appropriate respirator, excluding a dust mask, which is worn to prevent the wearer from breathing a contaminant whose concentration in the air exceeds the PEL. A respirator is required when the air in a work place contains one or more contaminants exceeding a PEL or when sudden failure of an engineering control would create an exposure above the STEL. (Note: Other methods of exposure control take precedence over respirator use. A required respirator is to be used only in situations where other forms of exposure control are not possible. Regulations require that any employee who must work in a respirator be certified by a physician to be physically fit to work in that respirator. This certification must be obtained before the employee can be allowed to work while wearing a respirator, whether supplied by the employer or not.)

Select Carcinogen: Any substance that meets one of the following criteria:

- It is regulated by regulations as a carcinogen, or
- It is listed under the category "Known To Be Carcinogens" in the Annual Report on Carcinogens published by the National Toxicology Program (NTP) (latest edition), or

- It is listed under Group 1 (Carcinogenic To Humans) by the International Agency for Research on Cancer Monographs (IARC) (latest edition), or
- It is listed in either Group 2A or 2B by IARC or under the category “Reasonably Anticipated To Be Carcinogens” by NTP, and causes statistically significant tumor incidence in experimental animals in accordance with any of the following criteria:
 - After inhalation exposure of 6-7 hours per day, 5 days per week, for a significant portion of a lifetime, to dosages of less than 10 mg/m³,
 - After repeated skin application of less than 300 mg/kg of body weight per week, or
 - After oral dosages of less than 50 mg/kg of body weight per day.

Short Term Exposure Limit (STEL): The maximum concentration of a contaminant in breathing air to which a laboratory employee may be legally exposed, as a time weighted average, for a maximum (for most contaminants) of 15 minutes.

Well Ventilated Area: An area where the ambient conditions of use include sufficient ventilation to prevent a flammable or combustible vapor/air mixture from reaching the LFL/LEL and the concentration of air contaminants in the breathing zone of laboratory workers from exceeding a PEL.

4.0 RESPONSIBILITIES

4.1 CHEMICAL HYGIENE OFFICER

The Director of Environmental Health and Safety will serve as the Chemical Hygiene Officer (CHO). The Chemical Hygiene Officer is responsible for the development and implementation of chemical hygiene policies and practices in the laboratory. He or she will:

- Monitor the procurement, use, and disposal of chemicals used in the laboratory,
- See that appropriate audits are maintained,
- Help the Laboratory Supervisor develop precautions and adequate facilities to maintain the safety of laboratory workers,
- Know the current legal requirements concerning regulated substances,
- Maintain adequate records detailing efforts and results of employee exposure monitoring, including associated accident reports, medical consultations and examinations when applicable,
- Seek ways to improve the Chemical Hygiene Plan, and
- Develop and oversee implementation of the Chemical Hygiene Plan.

4.2 DEPARTMENT CHEMICAL HYGIENE OFFICER

The Department Chemical Hygiene Officer has ultimate responsibility for implementing chemical hygiene at the department level and shall provide continuing support for chemical hygiene in addition to:

- Providing technical guidance in the development and implementation of the Chemical Hygiene Plan,
- Ensuring that Standard Operating Procedures (Part 5 – Standard Operating Procedures) are followed, and
- Conducting regular inspections of emergency equipment, chemical hygiene and housekeeping.

4.3 LABORATORY SUPERVISOR / PRINCIPLE INVESTIGATOR

The Laboratory Supervisor is responsible for chemical hygiene in the laboratory. The Laboratory Supervisor shall ensure:

- Laboratory employees know and follow the chemical hygiene rules,
- Protective equipment is available and in working order, (See Parts 9.2 – Inspections, 5.4 – Personal Protective Equipment, and Appendix 7A – Glove Selection Chart)
- Laboratory employees have been provided with appropriate training, (See Part 13 – Employee Training)
- Facilities and training for the use of any material being ordered are adequate, (See Part 6 – Chemical Procurement, Distribution, and Storage)
- Locations of any “controlled work areas” within the laboratory are defined, and inventory of any toxic substances and potential or known carcinogens are properly maintained,
- Unwanted and/or hazardous chemicals and hazardous waste are disposed properly,
- The Chemical Hygiene Officer is notified of all incidents that constitute a danger of environmental contamination or that cause laboratory workers to be exposed to hazardous materials where symptoms of exposure are evident and/or medical treatment is rendered,
 - Note: “danger of environmental contamination” refers to the spill or release of a hazardous chemical when the nature of the material or the circumstances of the spill are such that personnel in the immediate area cannot clean up the spill without further environmental contamination or increased exposure to the hazardous material.
- Inspections of emergency equipment, chemical hygiene, and housekeeping are conducted. (See Parts 5.6 – Housekeeping, 9.2 – Inspections, and 11 – Emergency Equipment).

4.4 LABORATORY EMPLOYEE / WORKER

Each laboratory employee is responsible for planning and conducting all operations in accordance with the chemical hygiene procedures and developing good personal chemical hygiene habits. This includes:

- Understanding the function and proper use of personal protective equipment and using personal protective equipment when mandated or necessary,
- Notifying the Laboratory Supervisor of conditions or actions that could result in an accident or injury, or significant problems arising from the use of the Standard Operating Procedures, and
- Asking the Laboratory Supervisor for clarification of any of the above responsibilities which they do not fully understand.

4.5 SPMC CHEMICAL CONTROL BOARD

The SPMC Chemical Control Board will review the SPMC Chemical Hygiene Plan and policies regarding chemical use at SPMC at least annually and will review uses of highly toxic compounds and select carcinogens before they occur on an as needed basis.

5.0 STANDARD OPERATING PROCEDURES

5.1 GENERAL SAFETY GUIDELINES

- Never work alone at a potentially dangerous activity.
- When working with flammable materials, be certain there are no sources of ignition near enough to cause a fire or explosion in the event of a spill or vapor release.
- Use a shield for protection whenever an explosion or implosion is possible.
- The hazardous properties of each material used in a procedure must be determined before the first time it is used. Assume a mixture to be more toxic than any of its components.
- Use proper protective equipment whenever required. Refer to the Department Safety Information Book, Section 5, Personal Protective Equipment.
- Know the location and proper use of emergency equipment and be familiar with emergency procedures.
- Minimize all chemical exposures; avoid skin contact with chemicals. Immediately notify a Laboratory Supervisor if exposure to a hazardous substance occurs.
- Store chemicals in tightly closed containers with readable and accurate labels.
- Use of hazardous chemicals that may produce gases, fumes, or hazardous vapors must be conducted in a working fume hood. Never use highly toxic agents, carcinogens, or reproductive toxins outside of a working fume hood, unless previously discussed with the Laboratory Supervisor.
- Work conducted in a laboratory (and its scale) must be appropriate to the physical facilities as well as the quality of the ventilation system.
- Be alert to unsafe conditions and report them to the Laboratory Supervisor or the Environmental Health and Safety office correction. Refer to the Department Safety Information Book, Section 4, General Safety, Appendix 4A, Safety and Health Information for Employees.
- Visitors to the laboratory are to be escorted by an employee and are the responsibility of that employee. All safety regulations must be observed.
- Forms required for SPMC chemical acquisition and/or use are available from the SPMC Chemical Hygiene Officer (CHO) in ME144 or the SPMC Office

5.2 UNATTENDED OPERATIONS

An experiment is considered to be an unattended operation if there is no one immediately present who fully understands the operation and shutdown procedure to be used in the event of an emergency. Reactions that are not well understood should not be permitted to run unattended.

- Unattended operations should be prominently labeled with the laboratory employee's name, start date and time, intended stop date and time, and contact information for the laboratory worker and faculty advisor, if applicable. Leave the laboratory lights on and post warning signs of any associated hazards (e.g. flammable, reactive, explosive, etc.).
- Unattended operations that could result in a fire or explosion should be equipped with the necessary automatic shutdown controls.
- Use necessary shields or barriers to contain splashes, explosions or other releases.
- Establish provisions for containment of toxic substances in the event of a utility service failure, such as loss of cooling water.

5.3 PERSONAL HYGIENE

- Avoid skin contact with chemicals; wash promptly whenever a chemical contacts the skin.
- Avoid inhalation of chemicals; do not smell or taste chemicals.
- Never pipette by mouth or use mouth suction to start a siphon.
- Never bring food, chewing gum, beverages, cigarettes, or food containers into the laboratory. Never eat, drink, smoke, bite fingernails, apply cosmetics, or handle contact lenses while in the laboratory.
- Always wash hands with soap and water before leaving the laboratory and before eating, drinking, smoking, using the restroom, applying cosmetics, or handling contact lenses. Areas of exposed skin (such as the forearms) should be washed frequently if there is a potential for contact with chemicals.
- Never store food in a refrigerator that is used to store chemicals.
- Never use laboratory glassware or utensils for storage, handling, or consumption of food or beverages.
- Ice generated for laboratory use shall not be used for human consumption or food storage.

5.4 PERSONAL PROTECTIVE EQUIPMENT

- Laboratory workers must always wear appropriate eye protection whenever anyone is working with hazardous materials or performing hazardous process in the laboratory. Goggles must be worn when there is a potential for splashing or spilling of a hazardous liquid. Face shields should be worn when appropriate.
- When working with hazardous chemicals, wear gloves made of a material that is resistant to permeation by that chemical. (See Appendix A – Glove Selection Chart). **Latex gloves are not permitted for chemical handling. Disposable nitrile gloves are the minimum hand protection for chemical use.**
- Protect skin and feet with adequate clothing and footwear.
- Confine loose hair and clothing while working in the laboratory.
- Use a fume hood when exposure to a toxic substance by inhalation is likely to exceed the PEL for that substance.
- Gloves and goggles are available in a marked drawer in the Marine Chemistry Lab (ME35).
- Lab coats are available in the hallway outside of the Marine Chemistry Lab (ME35).
- Fume hoods are located in the Water Quality Lab (ME03) and the Marine Chemistry Lab (ME35).

The Laboratory Supervisor (or designee) will be responsible for selecting and acquiring appropriate personal protective equipment, maintaining its availability, and establishing cleaning and disposal procedures. Standard personal protective equipment must be provided by the employer to employees free of cost.

Refer to Western Washington University's Safety Information Book, Section 5 (Personal Protective Equipment), Section 13 (Respiratory Protection Program), and Section 14 (Hearing Conservation Program).

Chemical protective clothing must be removed before leaving the work area. Gloves should be removed before touching other surfaces, such as doorknobs, drawer pulls, or faucet handles.

5.5 CLOTHING

- Laboratory coats or aprons shall be worn by laboratory employees whenever handling liquids that are injurious to or absorbed through the skin.
- Laboratory coats must be cleaned regularly. If a spill occurs on the laboratory coat or personal clothing, it must be either decontaminated before reuse or disposed of as hazardous waste.
- Laboratory coats must not be laundered with personal laundry.

The commercial firm laundering any contaminated work clothing shall be notified of potentially contaminated substances. Grossly contaminated clothing shall be bagged and disposed of as hazardous waste.

5.6 HOUSEKEEPING

- Lab areas should be kept clean and uncluttered. Spills must be immediately cleaned and floors must be maintained dry at all times. Contaminated glassware should not be left out.
- Access to exits, emergency equipment, eyewashes, safety showers, fire extinguishers, emergency spill equipment, circuit breakers, and fire alarm pull boxes must never be blocked.
- All chemical containers must be labeled with (at least) the identity and hazards of its contents.
- Waste must be properly labeled and kept in proper containers. (See Section 14 – Waste Disposal Procedures)
- Chemicals should be stored in an earthquake-safe storage area and should be returned to their storage area after use.

5.7 OPERATIONS REQUIRING PRIOR APPROVAL

The following laboratory operations require prior approval from the Department or Assistant Chemical Hygiene Officer:

- Purchase of chemicals
 - Purchases should be made using the SPMC Chemical Order Form that can be obtained from the CHO or the SPMC Office.
- Disposal of chemical waste.
- Bringing chemicals to SPMC from another lab
 - Anyone bringing chemicals to SPMC from off-site must fill out a Chemical Acquisition Form. Upon leaving SPMC, researchers must inform the CHO whether these chemicals will be turned over to the CHO to remain in the SPMC inventory, disposed of, or taken off site.

The following laboratory operations require prior approval from the Laboratory Supervisor:

- Procedures for which the laboratory employee has not been trained,
- Operations or activities for which there are no written procedures, and
- Work with unknown substances.

Use of chemicals that are classified as highly toxic (see p. 5) or select carcinogens (see p. 39) requires approval of the SPMC Chemical Control Board. Anyone planning to use these chemicals should notify the CHO well in advance of the planned start of the use of

the chemicals and fill out and submit to the Chemical Control Board a Hazardous Chemical Approval form to request approval.

Use of the Marine Chemistry Facilities (which include the Marine Chemistry Lab (ME35), Instrument Lab (ME38), Chemical Storage Room (ME34), Balance Room (ME37) and Water Quality Lab (ME03)) by students outside of normal SPMC operating hours (M-F, 8:30a.m. – 4:30 p.m., excluding University holidays) requires:

- The student's instructor or advisor to provide the Supervisor of Marine Chemistry Facilities with a written statement that 1) describes what the student will be doing in the laboratory after hours, 2) explains why the student needs to work in the laboratory after hours, and 3) states that the student has been properly trained to conduct these activities in a safe and effective manner
- Approval of the student's after-hour request by the Supervisor of Marine Chemistry Facilities, and
- Compliance with the SPMC "buddy system" which requires the student to check in with another researcher or student working in the building on an hourly basis.

5.8 PLANNING CHEMICAL LABORATORY EXPERIMENTS

- Consider all possible reactions, including side-reactions, before beginning.
- Think through all reactants, intermediates, and products in terms of flammability, toxicity, route of entry, and reactivity hazards.
- Follow recognized safe practices concerning personal protective equipment, housekeeping, and handling of hazardous chemicals as outlined in this chemical hygiene plan.
- When conducting unknown reactions, always start with small quantities of material and carefully observe reaction characteristics before increasing quantities.
- Obtain safety information about reactants and by-products.
- If possible, determine the quantity and rate of evolution of heat and gases to be released during the reaction.
- Provide adequate cooling, ventilation, pressure relief, and gas purging. If possible, isolate the reaction vessel and make frequent inspections of equipment during the reaction. Do not leave a hazardous system unattended.
- Consider the recommended first aid treatment for each reactant, intermediate, and products.
- Develop a plan of action for situations such as power failure, cooling system failure, exposure of the system to water or air, unexpected increase in pressure, or broken reaction containers.

5.9 EMERGENCY PROCEDURES

Refer to Western Washington University Safety Information Book, Section 2 (Emergency Chemical Procedures) for information on emergency procedures and the Departmental Emergency Plan. The Meeting Area after an Emergency at SPMC is the handicapped parking area outside of the main building

5.10 ACCIDENTS AND ACCIDENT REPORTING

Accidents or injuries that occur in the laboratory and require medical treatment must be reported immediately and treated immediately. Personnel trained in first aid and CPR must be available during working hours to render assistance until medical help can be obtained.

All accidents, whether resulting in injury or damage, should be carefully analyzed with the results reported to all who might benefit. Accident reports will be kept on file with the Director of Environmental Health and Safety and will be made available to employees upon request. Please refer to Western Washington University Safety Information Book, Section 4 (General Safety Information Accident Prevention Plan) for more information on accident reporting.

6.0 CHEMICAL PROCUREMENT, DISTRIBUTION, AND STORAGE

6.1 CHEMICAL PROCUREMENT AND DISTRIBUTION

- The Department or Assistant Chemical Hygiene Officer approves the purchase of all new hazardous chemicals. Prior to purchase of new hazardous chemicals, the following must be considered:
 - Proper storage, handling, and disposal procedures,
 - Facility requirements for safe handling of the material, and
 - Personnel training or proficiency necessary for safe handling of the material.
- Before a substance is received, information of proper handling, storage, and disposal should be known. All Material Safety Data Sheets (MSDSs) received with shipments to a laboratory will be maintained on file in the department and at the Environmental Health and Safety office.
- MSDSs at SPMC must be on file in the file cabinet in the Balance Room (ME37) and in the office of the Marine Chemistry Technician (ME39) before they can be used. Chemicals will remain under the control of the SPMC CHO until MSDSs are on file.
- No container will be accepted without an adequate identifying label. This label should include the substance name, an appropriate hazard warning, and specific target organ effects.

6.2 CHEMICAL INVENTORY

- The chemical inventory is kept in the department. Refer to Western Washington University Safety Information Book, Section 9 (Chemical Inventory) provides the inventory or its location.
- Physical inventories are conducted annually to identify leaking or damaged containers, containers with missing or illegible labels, and chemicals that are no longer needed.
- All chemicals at SPMC, whether purchased or transported from another location, must be logged into the chemical inventory and labeled according to the directions posted on the chemical inventory binder located in the Chemical Storage Room (ME34). The Marine Chemistry Technician will maintain an inventory of all chemicals at SPMC and will maintain specific inventories of chemicals in the Marine Chemistry (ME35) and Instrument Labs (ME38). Individual PIs/Laboratory Supervisors are responsible for maintaining inventories of chemicals in their specific lab areas.

6.3 CHEMICAL DISTRIBUTION

- When chemicals are hand-carried, they are placed in a secondary container to protect against breakage and spilling.

- Carts are available for chemical transport at SPMC. They are located near the elevators on the 1st, 2nd, and 3rd floors and should be returned to those locations after use.
- Large compressed gas cylinders are transported with a suitable handcart and strapped in place during transport.

6.4 CHEMICAL STORAGE

- Storage and working amounts of hazardous chemicals are kept to a minimum.
- Chemical storage in fume hoods is kept to a minimum.
- Chemicals are stored in containers with which they are compatible; containers are kept closed when reagents are not being used.
- All chemical containers must have a legible, firmly attached label. The containers are dated when received and when opened.
- All flammable substances are stored in a flammable materials cabinet or refrigerator designated for flammable liquid storage. (See Part 16.1.2 – Flammable Liquids Storage)
- Compressed gas cylinders are individually secured at all times; cylinder caps must be in place on cylinders when not in use.
- Incompatible chemicals must be segregated. See Appendix 7C, Table 7-2 for a partial list of incompatible chemicals.
- Chemicals are stored on shelves or in cabinets that prevent the containers from falling in the event of an earthquake. Heavy items and corrosive materials are stored on shelves near the floor.

6.5 SPILL RESPONSE

Locations where chemicals are stored should have available a supply of equipment and materials for use in the event of a chemical spill. Spill response materials may include:

- Absorbent
- Personal protective equipment
- Scoops and/or pans for picking up granular solids
- Plastic bags to contain contaminated absorbent

For spills creating an airborne hazard or that require equipment beyond standard laboratory apparel, contact the Environmental Health and Safety office for assistance in containment and clean up.

7.0 HAZARD IDENTIFICATION

- All chemical containers must have a legible, firmly attached label showing the contents of the container.
- Labels on incoming containers of hazardous chemicals must not be removed or defaced.
- Material Safety Data Sheets (MSDSs) received with incoming shipments of hazardous chemicals are maintained and made readily accessible to laboratory employees. MSDSs are kept on file in the department. Refer to Western Washington University Safety Information Book, Section 9 (MSDSs) for information on MSDS locations.
- A hazard review of new materials not previously used in the laboratory shall be completed before working with the new material. The Department or Assistant Chemical Hygiene Officer or Laboratory Supervisor conducts this review. (See Part 6.1 – Chemical Procurement and Distribution)

- Chemical substances developed in the laboratory are assumed to be hazardous in the absence of other information.
- Laboratory areas that have special or unusual hazards should be identified with an appropriate warning sign.

8.0 ENVIRONMENTAL MONITORING

Employee exposure to regulated substances shall not routinely exceed the action level or, in the absence of an action level, the PEL. When there is reason to believe that employee exposure levels of regulated substances are routinely exceeding the action levels, employee exposure to these substances will be monitored.

In the event that the action level is exceeded, Western Washington University will immediately comply with the exposure monitoring requirements of the standard for that substance (WAC 296-62). In addition, environmental monitoring of airborne concentrations of hazardous chemicals should be conducted in the following conditions:

- When requested by a laboratory employee as a result of a documented health concern or suspicion that a PEL is being exceeded,
- When a highly toxic substance is being regularly and continuously used outside of a chemical fume hood (three or more times a week), or

The Environmental Health and Safety office will ensure that employee exposure is monitored. Exposure testing procedures and monitoring results are provided to the Department and Assistant Chemical Hygiene Officers, Laboratory Supervisor, and employees within 15 working days after receipt of the results. An accurate record of all measurements taken to monitor employee exposures will be kept, transferred, and made available for each employee in accordance with Access to Employee Exposure and Medical Records requirement (WAC 296-62- 40007).

9.0 MAINTENANCE AND INSPECTIONS

9.1 MAINTENANCE

All local exhaust ventilation hoods and other engineering controls shall be functioning properly. Improperly functioning equipment, out of service equipment, and equipment under repair shall be tagged "OUT OF SERVICE" and locked out if possible. The equipment shall not be restarted without the approval of the Chemical Hygiene Officer or designee, Laboratory Supervisor, and Facilities Maintenance personnel.

9.2 INSPECTIONS

Each laboratory employee will evaluate the condition of all personal protective equipment (safety glasses, goggles, gloves, hearing protection, etc.) before use. For more information, refer to Section 5 of the Safety Information Book – Personal Protective Equipment. Laboratory employees ensure that fume hoods and local exhaust ventilation hoods are working before each use. (See Part 15.2 – Ventilation Inspections)

Facilities Management will conduct annual inspections of chemical fume hoods, safety showers, eyewashes, and fire extinguishers.

The Department Chemical Hygiene Officer (or designee) will conduct quarterly inspections of personal protective equipment, first aid kits, and, if present, emergency blankets.

Facilities Management inspects the following items at appropriate intervals:

- Emergency lighting and/or illuminated exit signs,
- Fire alarms,
- Smoke and heat detectors and sprinklers,
- Fire doors, and
- Fire suppression systems.

10.0 MEDICAL PROGRAM

Medical attention, including medical consultation and follow-up, is provided to employees under the following circumstances:

- Where exposure monitoring is over the action level for a regulated substance that has medical surveillance requirements.
- Whenever a laboratory employee develops signs or symptoms that may be associated with a hazardous chemical to which the employee may have been exposed in the laboratory.
- Whenever a spill, leak, or explosion results in the likelihood of a hazardous exposure.

All medical examinations will be provided by or under the direct supervision of a licensed physician, at no cost to the employee, without loss of pay, and at a reasonable time and place. All questions regarding medical consultations and examinations should be directed to the Chemical Hygiene Officer.

When medical consultations or examinations are provided, the examining physician will be provided with the following information:

- The identity of the hazardous chemical(s) or material(s) to which the employee(s) may have been exposed,
- The MSDSs for the hazardous chemical(s) or material(s) if available,
- A description of the conditions under which the exposure occurred, including quantitative exposure data if available, and
- A description of the signs and symptoms of exposure that the employee is experiencing, if any.

For examinations or consultations provided to employees, the Chemical Hygiene Officer shall obtain a written opinion from the examining physician. It shall include:

- Recommendations for further medical follow-up,
- Results of the examination and associated tests,
- Any medical condition revealed that places the employee at an increased risk of exposure to a hazardous substance found in the workplace, and
- A statement that the employee has been informed of the results of the examination or consultation.

The written opinion will not reveal specific diagnoses unrelated to occupational exposure, except as noted above.

The Environmental Health and Safety office keeps an accurate record of any medical consultations or medical examinations. Records for each employee are transferred and

made available as specified under Access to Employee Exposure and Medical Records requirement (WAC 296-62-40019).

11.0 EMERGENCY EQUIPMENT

11.1 GENERAL

The Department Chemical Hygiene Officer will ensure that adequate emergency equipment is available in the laboratory and inspected periodically to ensure that it is functioning properly. Signs may be posted to show the location of safety showers, eyewashes, exits, first aid kits, fire extinguishers, etc. Each laboratory employee must be familiar with the location, application, and/or correct way to operate the following emergency equipment:

- Fire extinguishers,
- Fire alarms,
- Fire doors,
- Smoke detectors,
- Fire sprinklers
- Safety showers,
- Eyewashes,
- First aid kits.

11.3 FIRE EXTINGUISHERS

- Fire extinguishers are provided along normal paths of travel.
- Fire extinguishers are labeled to show the type of fire for which they are intended.
- Access must be maintained and the location clearly marked in an appropriate manner.
- The fire extinguisher type and size must be selected for the appropriate hazards.
- Documented inspections are conducted at least annually by Facilities Management to ensure:
 - The extinguisher is in its designated location,
 - Access is maintained,
 - The pin is in place and attached with unbroken wire,
 - The indicator, if present, is in full range, and
 - No physical damage is evident.

11.3 FIRE ALARMS

- Fire alarms are provided along normal paths of travel and exit routes.
- Access must be maintained and the location should be clearly marked in an appropriate manner.
- Documented inspections involving activation of fire alarms are conducted at appropriate intervals to insure proper operation.

11.4 FIRE DOORS

- Fire doors are provided per building codes, fire codes, and fire insurer's requirements.
- Fire doors are not blocked open and must be able to close properly.
- Inspections are conducted at appropriate intervals to ensure proper working order.

11.5 SMOKE OR HEAT DETECTORS

- Smoke or heat detectors are selected and installed for the appropriate hazards per building code, fire codes, and fire insurer's requirements.
- Inspections are conducted at appropriate intervals to ensure proper working order.

11.7 SAFETY SHOWERS

- Safety showers are within the work area for immediate emergency use.
- Safety shower water is potable and provides at least fifteen minutes of flushing.
- Access is maintained at all times.
- Inspections are conducted by Facilities Management to ensure adequate flow.

11.7 EYEWASHES

- Eyewashes are within the work area for immediate emergency use.
- Eyewashes are plumbed, whenever possible. Water is potable and provides at least fifteen minutes of flushing.
- Access is maintained at all times.
- Inspections are conducted by Facilities Management to ensure adequate flow.

11.8 FIRST AID KITS

- First aid kits are available for treatment of minor injuries or for short-term emergency treatment before medical assistance is available.
- Inspections are conducted by the Department Chemical Hygiene Officer (or designee) to ensure first aid kits are adequately stocked and maintained.

11.10 EMERGENCY LIGHTING

- Emergency lighting provides adequate illumination for evacuation during an emergency situation or power failure.
- Inspections are conducted at appropriate intervals to ensure proper working order.

11.10 FIRE SUPPRESSION SYSTEMS

- The fire suppression system is selected based on the hazards.
- Documented inspections involving activation of the system are conducted at appropriate intervals to ensure proper working order.

11.11 EMERGENCY BLANKETS

- Blankets MAY be provided in the vicinity of safety showers to prevent shock and provide privacy.
- If present, inspections are conducted annually by the Department Chemical Hygiene Officer or a designee to ensure blankets are not contaminated or damaged.

12.0 RECORD KEEPING

- The Environmental Health and Safety office retains accident and incident records, medical records and industrial hygiene monitoring records.
- Departments maintain Material Safety Data Sheets (and send copies to the Environmental Health and Safety office).

- Departments maintain chemical inventories and department-related inspections of equipment and training.

13.0 EMPLOYEE TRAINING

13.1 TRAINING

- Refer to the Safety Information Book, Section 3, Responsibilities, for information on training responsibilities. Generally, the Department or Assistant Chemical Hygiene Officer or Laboratory Supervisor trains all laboratory employees on the hazards of the chemicals present in their work area. The purpose of this training is to assure that all laboratory employees are adequately informed about the risks associated with working in the laboratory and what to do in the event of an accident.
- Training is provided at the time of an employee's initial assignment to a work area where hazardous chemicals are present. Additional training is provided prior to assignments involving new exposure situations. Refresher information and training is provided annually. The department maintains employee training records and sends a copy to the Environmental Health and Safety office. (See Appendix B for sample.)
- Employees may not use any personal protective clothing until they have received instruction on the proper selection, use, and limitations of the equipment. Refer to the Safety Information Book, Section 5, Personal Protective Equipment.
- Training should include:
 - Methods used to detect the release or presence of hazardous chemicals,
 - Physical and health hazards associated with chemicals in the work area,
 - Personal protective equipment,
 - Respirator protection, medical evaluation and fit-testing program, if respirators are used,
 - General rules for laboratory safety and good personal hygiene,
 - Laboratory operations and activities requiring approval,
 - Handling of hazardous chemicals and hazardous waste disposal,
 - Emergency response and evacuation procedures,
 - Interpretation of MSDSs,
 - Engineering controls, and
 - First aid.
- In addition to the training required by Environmental Health and Safety, all users of the SPMC Marine Chemistry Facilities, including course instructors and tour guides, must complete the SPMC Laboratory Safety Course, including satisfactory completion of the Safety Test, the Safety Training Verification Form, and a safety walk-through conducted by the Marine Chemistry Technician. In the event that the Marine Chemistry Technician is unavailable, an alternate person may be designated to conduct the safety walk-through.
- All generators of hazardous waste in the Marine Chemistry Facilities must complete the WWU Environmental Health and Safety Hazardous Waste Course (<http://www.wvu.edu/ehs/training/hazardouswaste.shtml>) on an annual basis. The Marine Chemistry Technician should be notified of the completion date of the course.
- Unless highly toxic chemicals or select carcinogens will be used, exceptions to the Safety Training requirement will be granted for a) non-resident students conducting work in the Marine Chemistry Facilities as part of a WWU course

while they are under the direct supervision of an instructor who has completed the SPMC Marine Laboratory Safety Course, or b) short-term (1-2 days) visiting investigators who are working under the direct supervision of an SPMC faculty or staff member who has completed the SPMC Laboratory Safety Course. In these cases, the faculty or staff member supervising the students or visiting investigators are responsible for providing a safety orientation and ensuring that all SPMC safety regulations, including the use of appropriate personal protective equipment, are followed.

13.2 REFERENCE MATERIALS

Reference materials on the hazards, safe handling, storage, and disposal of hazardous chemicals can be found in many location(s). Contact the Environmental Health and Safety office or refer to their website at <http://www.ac.wvu.edu/~ehs> for links.

14.0 WASTE DISPOSAL PROCEDURES

Chemical waste disposal procedures can be found in Western Washington University Safety Information Book, Section 10 (Hazardous Waste Program).

- Hazardous waste must be accumulated in properly labeled bottles. Labels are located in the Chemical Storage room (ME34) and in several locations in the Marine Chemistry Lab (ME35) and Instrument Lab (ME38).
- When, hazardous waste bottles are full, they should be stored in the Hazardous Waste Cabinet in the Chemical Storage Room (ME34).
- The Marine Chemistry Technician will arrange for periodic pick-ups of hazardous waste

15.0 VENTILATION

15.1 GENERAL GUIDELINES

- General laboratory ventilation shall provide airflow into the laboratory from non-laboratory areas and out to the exterior of the building.
- All operations that might result in the release of unpleasant and/or potentially hazardous fumes, vapors, gases or dust must be conducted with local exhaust ventilation.
- Storage in a fume hood is kept to a minimum, should not include flammable chemicals, and should not restrict ventilation or airflow.

15.2 INSPECTIONS

Laboratory employees should check fume hoods to ensure proper working order before each use. This should include a visual inspection of the hood area for storage or other visible blockages. Refer to Part 9 – Maintenance and Inspections.

Further information on chemical fume hoods can be found in Western Washington University Safety Information Book, Section 8 (University Chemical Fume Hood Program).

16.0 CHEMICAL HANDLING PROCEDURES

16.1 FLAMMABLE LIQUIDS

16.1.1 HAZARDS

- Flammable vapors can form ignitable mixtures in air. Vapors can travel great distances and be ignited by remote ignition sources, flashing back violently to the source.
- Many flammable liquids are toxic by inhalation and/or skin contact.
- Flammable liquids or their vapors can cause eye injury, ranging from irritation to severe damage.

16.1.2 STORAGE

Research laboratories should limit the amount of flammable liquids in a laboratory to less than 10 gallons per 100 square feet of laboratory unit space. Total amounts of flammable and combustible liquids should not exceed an additional 10 gallons per 100 square feet of laboratory.

16.1.3 CONTROLS

- Perform work with flammable liquids in a properly functioning chemical fume hood whenever possible.
- Clean up spills of flammable materials immediately.

16.1.4 EXAMPLES OF FLAMMABLE LIQUIDS

Examples of flammable liquids are listed in Appendix 7C, Table 7-3.

16.2 CORROSIVE CHEMICALS

16.2.1 HAZARDS

Contact with the skin, eyes, respiratory system, or digestive tract can cause severe irritation and burns.

16.2.2 STORAGE

- Store concentrated acids and bases separately in appropriate secondary containers (acid- or base-resistant trays or catch basins).
- Transport concentrated acids and bases in a break-resistant protective carrier.
- Store oxidizing acids (perchloric, nitric, and sulfuric acids) away from combustible materials such as organic chemicals, paper, and wood.
- No acid baths are allowed in the Instrument Lab (ME38). Acid bath use in the Marine Chemistry Lab (ME35) is limited to the area near the western sink. Acid baths should be properly labeled. They should be neutralized and disposed of when they are no longer in use.

16.2.3 CONTROLS

- Use appropriate personal protective equipment when handling corrosives. Safety goggles are required for liquid corrosives.
- In case of contact, flush the affected area with large amounts of water for at least 15 minutes, remove contaminated clothing, and seek medical attention.
- Always add acid to water when diluting.

16.2.4 EXAMPLES OF CORROSIVES

Examples of common corrosives are listed in Appendix 7C, Table 7-4.

16.3 REACTIVE CHEMICALS

16.3.1 HAZARDS

Reactive chemicals are those which:

- Are oxidizers (can initiate or support combustions),
- Are organic peroxides (can form shock-sensitive explosives upon prolonged storage),
- Are explosive,
- Can react with other materials (including water) to release hazardous gases or can react violently or with the generation of large amounts of heat, or
- Can polymerize violently with the release of large amounts of heat.

16.3.2 STORAGE

- Materials that are reactive hazards shall be stored in such a way as to prevent their mixture with incompatible materials.
- Explosive or peroxide-forming chemicals must be stored in the explosion-proof refrigerator in the Chemical Storage Room.

16.3.3 CONTROLS

- Use appropriate personal protective equipment when handling reactive chemicals.
- Read and understand handling instructions provided by the precautionary label or MSDS.
- Perform work with reactive chemicals in a properly functioning chemical fume hood whenever possible.
- Perform potentially violent reactions behind a barrier or shield, or at a sufficient distance from any laboratory employees.

16.3.4 EXAMPLES OF REACTIVE CHEMICALS

Examples of reactive chemicals are listed in Appendix 7C, Table 7-5.

16.4 COMPRESSED GASES

16.4.1 HAZARDS

Compressed gases contain large amounts of energy that can cause serious injury and physical damage. Compressed gases may also be flammable, toxic, or corrosive.

16.4.2 STORAGE

- Compressed gases must be stored in the upright position with caps on when not in immediate use.
- Compressed gas cylinders must be individually secured with straps, chains, or stands designed for this purpose.

16.4.3 CONTROLS

- Transport compressed gas cylinders with caps in place, secured to suitable containers.
- Each cylinder must be matched with the appropriate fitting and regulator. Using regulator-adaptors is prohibited.
- Regulators must be fitted with check valves to prevent inadvertent mixing of gases and suck-back into the cylinder.

- Cylinder valves should always be opened slowly; do not stand in front of regulators when “cracking open” cylinder valves.
- Avoid completely emptying cylinders. Leave residual pressure in the cylinder and mark it as “empty”.

16.4.4 COMPRESSED AND LIQUEFIED GASES

Information regarding compressed and liquefied gases is in Appendix 7C, Table 7-6.

16.5 CARCINOGENS, MUTAGENS, TERATOGENS, AND REPRODUCTIVE TOXINS

16.5.1 HAZARDS

Exposure can induce carcinogenesis, mutagenesis (chromosomal damage), teratogenesis (fetal damage), and infertility. Exposure may effect future generations.

16.5.2 STORAGE

- Store these chemicals in a dedicated storage fume hood or glove box. All containers must be unbreakable and properly labeled. Maintain a minimum quantity and dispose of unneeded material(s) immediately.
- At SPMC, the use of formaldehyde and formalin is limited to the 4 ft fume hood in the Water Quality Lab (MC03) and requires approval from the SPMC Chemical Control Board. Whenever possible, alternatives to formalin and formaldehyde (such as Formalternate) should be used for storing specimens. Materials preserved with formalin can be stored in MC 03, MC 205, and MC 222.

16.5.3 CONTROLS

- Work with these chemicals **only** in designated areas. (See Part 17.1 – Use of Designated Areas)
- Wear appropriate personal protective equipment. Avoid skin contact and always wash hands and arms immediately after working with these chemicals.
- Work only with adequate engineering controls such as glove bags, glove boxes, and fume hoods.
- Laboratory employees should be familiar with emergency procedures for accidents or spills involving these chemicals. The Department Chemical Hygiene Officer should be notified of all incidents of exposure or spills.
- The Laboratory Supervisor should keep records of the amounts of these materials used and the names of workers involved.

16.5.4 EXAMPLES OF CARCINOGENS, MUTAGENS, TERATOGENS, AND REPRODUCTIVE TOXINS

Examples of these chemicals are listed in Appendix 7C, Tables 7-1 and 7-7, 8, and 9.

16.6 TOXIC METALS

16.6.1 HAZARDS

These chemicals are toxic by inhalation, ingestion, and possibly by skin absorption.

16.6.2 STORAGE

Maintain a minimum quantity of toxic metals and disposed of unneeded material(s) immediately.

16.6.3 CONTROLS

- Wear appropriate personal protective equipment when handling toxic metals.
- Work in a fume hood whenever possible.
- Spills should be immediately cleaned up and the work area properly decontaminated.

16.6.4 EXAMPLES OF TOXIC METALS

Examples of toxic metals are listed in Appendix 7C, Table 7-10.

16.8 RADIONUCLIDES

The Radiation Safety Officer has strict policies and procedures for the procurement, handling, use, and disposal of radioactive materials. These procedures must be followed by anyone using radionuclides. Contact the Scientific Technical Services Department for further information.

- Radioisotopes are under the direct supervision of the SPMC radiation safety officer (RSO). Faculty and students proposing to use radioisotopes must so indicate on their application for space form.
- Written authorization from the RSO will be required before such use is approved. Such authorization will require evidence of prior experience in radioisotopes use and training by Western Washington University's Radiation Safety Officer.
- For the safety of all staff at SPMC and to facilitate control of radioisotopes use, all teaching and research involving radioisotopes in the laboratory building will be conducted in the Radioisotopes Laboratory (MC 204). The door to room MC 204 will remain locked when not in use. Glassware will be clearly marked and retained in the Radiation Laboratory.
- After all radioisotope use, wipe tests must be performed and sent to WWU's RSO. If the wipe tests do not come out "clean" (disintegrations per minute (dpm) less than two times the background dpm), detergent must be used to clean up radioactive areas and then re-wiped; all wipe tests sent to campus should be completely "clean." If there is no radioisotope use in Room MC 204, quarterly wipe tests must be performed and sent to WWU's RSO.
- All radioisotopes used at SPMC are subject to the regulations of WWU's license and must be purchased through WWU with the approval of the RSO. Because the University license places restrictions on the maximum quantities of specific isotopes that can be maintained on site, provisions for purchase of isotopes should be made well in advance of their planned use.
- It is the responsibility of the RSO to maintain chemical inventory stock in the Radioisotopes lab. The inventory of stock chemicals in the radioisotopes lab should be given to the CHO annually. It is the responsibility of the CHO to assist the RSO in chemical and waste inventories of the Radioisotopes Lab.
- Waste disposal of chemicals is the responsibility of the researcher.
 - Liquids from Radioactive waste should be placed into waste jugs and used vials and filters should be emptied and rinsed into the waste jugs as well.
 - Filters should be taken out and placed with the solid waste
 - Used vials can be thrown in the trash.
 - Radioactivity of the waste jug must be measured and recorded and the waste poured down the sink after informing Maintenance ahead of time and the "Aqueous Material Disposal to Drain" form is filled out.

17.0 SUBSTANCES OF MODERATE TO HIGH CHRONIC TOXICITY OR HIGH ACUTE TOXICITY (INCLUDING SELECT CARCINOGENS)

17.1 USE OF DESIGNATED AREAS

A "designated area" must be established and clearly marked for storage and work with "Select Carcinogens", reproductive toxins, and substances that have a high degree of acute toxicity. This area may be an entire laboratory, a section of a laboratory, or a device within a laboratory, such as a fume hood or balance. See Appendix D for a table of designated areas within the department.

17.2 STORAGE

- Store these chemicals in a designated area that is well ventilated. All containers must be unbreakable and properly labeled.
- Highly toxic chemicals and chemicals designated with an NFPA health hazard 4 rating on at least one published MSDS will be stored in a locked cabinet or refrigerator in ME 34. They will remain under the control of the Marine Chemistry Technician.

17.3 CONTROLS

- The Department or Assistant Chemical Hygiene Officer approves the use and disposal of these substances.
- Use properly functioning control equipment (fume hood, glove box, etc.) for procedures that may result in the generation of aerosols or vapors containing the substance. Released vapors should be trapped to prevent their discharge with the hood exhaust.
- Protect vacuum pumps from contamination by traps or other devices. Decontaminate vacuums pumps and other contaminated equipment before removing them from the designated area.
- Weigh materials only in closed containers unless balances are included in designated areas. Open containers to add or remove chemical in ventilated areas.
- Wear appropriate personal protective equipment. Avoid skin contact and always wash hands, arms, face, and neck immediately after working with these chemicals.
- The Laboratory Supervisor maintains records of the amounts of these materials on hand, amounts and dates used, and names of laboratory employees involved.
- Laboratory employees should be familiar with emergency procedures for accidents or spills involving these chemicals. The Department Chemical Hygiene Officer should be notified of all incidents of exposure or spills. If a major spill occurs outside of the fume hood or glove box, emergency responders should wear appropriate personal protective equipment and all other workers should evacuate the area.
- Do not work alone when using compounds of high or unknown toxicity.
- Contaminated clothing should be chemically decontaminated or destroyed.
- Determine the appropriateness of medical surveillance for employees if they are working with toxicologically significant quantities of these substances on a regular basis.

18.0 LABORATORY CHEMICALS ON BOATS

- Chemical users must inform the boat skippers of their plans for chemical use and the hazards associated with each chemical. SPMC may refuse transportation on SPMC vessels if the Skipper feels that the chemical use presents an unacceptable risk to anyone onboard.
- MSDS should accompany all chemicals brought on board.
- Whenever possible, dilutions of chemicals used on SPMC boats should be made in the laboratory prior to transporting them to SPMC boats. Non-breakable containers should be used to contain chemicals whenever possible.
- All chemical use should take place outside on the deck. If the situation warrants moving into the cabin, all windows should be open and turned on the cabin fan.
- Chemicals should be stored as low as possible on the deck to prevent container breakage.

APPENDIX 7A – GLOVE SELECTION CHART

| | | |
|--|--|---|
| <p style="text-align: center;">NITRILE (HEAVY GREEN OR DISPOSABLE BLUE)</p> <p style="text-align: center;">USE WHEN HANDLING MOST ACIDS, CAUSTICS, ALCOHOLS, AND ETHERS</p> | Acetic Acid Ammonia Butyl Cellosolve Chromic Acid Cumene Diamine Diethanolamine Diethyl Ether Ethanol Ethylene Glycol Formaldehyde Freon Heptane | Hexane Hydrochloric Acid Hydrofluoric Acid Isopropyl Alcohol Kerosene Methanol Oleic Acid Phosphoric Acid Potassium Hydroxide Sodium Hydroxide Sulfuric Acid Triethanolamine |
| <p style="text-align: center;">BUTYL (DULL BLACK WITH ROLLED CUFF)</p> <p style="text-align: center;">USE WHEN HANDLING ACIDS, KETONES, ESTERS, AND SOME AMINES</p> | Acetone Acetonitrile Acetophenone Acetylacetone Acrolein Amyl Acetate Aniline Benzyl Alcohol Butyl Acetate Cyclohexanone Diethylene Glycol Dibutyl Phthalate Diisobutyl Ketone Diisopropyl Ketone Dimethyl Ether Dimethyl Formamide Dimethyl Sulfoxide | Dioxane Ethyl Acetate* Ethylamine Furfural Hydrazine Methyl Isobutyl Ketone Methyl Ethyl Ketone Morpholine Nitropropane Phenol Propyl Acetate Propionaldehyde 1,2-Propylene Glycol Tetrahydrofuran* 2,4-Toluene Diisocyanate Tricresyl Phosphate |
| <p style="text-align: center;">VITON (SHINY BLACK WITH STRAIGHT CUFF)</p> <p style="text-align: center;">USE WHEN HANDLING PCB'S, CHLORINATED SOLVENTS, AND AROMATIC SOLVENTS</p> | Carbon Disulfide Carbon Tetrachloride Benzene* Chlorobenzene Chloroform Cyclohexane Glutaraldehyde Hexane Methylamine Methylene Chloride | PCB's (Polychlorinated Biphenyls) Pentane Perchloroethylene Phenol 1,1,2,2-Tetrachloroethylene Trichloroethylene* Toluene 1,1,1-Trichloroethane Xylene |

* Use with SilverShield Liner

APPENDIX 7B – SAMPLE EMPLOYEE TRAINING RECORD

LABORATORY EMPLOYEE TRAINING RECORD

Employee Name:

Department:

Supervisor:

Date:

Training Requirement: Occupational Exposure to Hazardous Chemicals in Laboratories
WAC 296-62-40011 (29 CFR 1910.1450), Chemical Hygiene Plan

The following information was covered in the training session:

- Laboratory Standards Act
- General laboratory safety rules
- Laboratory operations or activities requiring approval
- Procedures for handling and labeling chemicals and working alone
- Identity of Chemical Hygiene Personnel
- Emergency procedures
- Fire extinguishers
- Specific exposure control measures
- Methods and observations to detect the presence or release of a hazardous chemical
- Physical and health hazards of chemicals in the work area
- Measures of protection from the hazards posted by chemicals in the lab
- Material Safety Data Sheets (MSDS)
- Proper waste disposal methods
- Other: _____

Employee's Signature: _____ Date: _____

Trainer's Signature: _____ Date: _____

APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-1. CLASSES OF CARCINOGENIC COMPOUNDS
(* DENOTES SELECT CARCINOGEN)

| | |
|---|---|
| Alkylating Agents: α-Halo Ethers | <i>*bis(Chloromethyl)Ether</i> <i>*Methyl Chloromethyl Ether</i> |
| Alkylating Agents: Sulfonates | <i>*1,4-Butanediol Dimethanesulfonate</i> Diethyl Sulfate Dimethyl Sulfate Ethyl Methanesulfonate Methyl Methanesulfonate Methyl Trifluoromethanesulfonate 1,3-Propanesultone |
| Alkylating Agents: Epoxides | <i>*Ethylene Oxide</i> Diepoxybutane Epichlorohydrin Propylene Oxide Styrene Oxide |
| Alkylating Agents: Aziridines | <i>*Ethylenimine</i> 2-Methylaziridine |
| Alkylating Agents: Diazo, Azo, and Azoxy Compounds | 4-Dimethylaminoazobenzene |
| Alkylating Agents: Electrophilic Alkenes and Alkynes | <i>*Acrylonitrile</i> Acrolein Ethyl Acrylate |
| Acylating Agents | <i>*γ-Propiolactone</i> γ -Butyrolactone Dimethylcarbamoyl Chloride |
| Organohalogen Compounds | <i>*1,2-Dibromo-3-chloropropane</i> <i>*Mustard Gas (bis(2-chloroethyl)sulfide)</i> <i>*Vinyl Chloride</i> Carbon Tetrachloride Chloroform 3-Chloro-2-methylpropene 1,2-Dibromoethane 1,4-Dichlorobenzene 1,2-Dichloroethane 2,2-Dichloroethane 1,3-Dichloropropene Hexachlorobenzene Methyl Iodide Tetrachloroethylene 2,4,6-Trichlorophenol |

APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-1. CLASSES OF CARCINOGENIC COMPOUNDS CONTINUED

| | |
|--|---|
| Hydrazines | Hydrazine and hydrazine salts 1,2-Diethylhydrazine 1,1-Dimethylhydrazine 1,2-Dimethylhydrazine |
| N-Nitroso Compounds | * <i>N-Nitrosodimethylamine</i> N-Nitroso-N-alkylureas |
| Aromatic Amines | * <i>4-Aminobiphenyl</i> * <i>Benzidine (p,p'-diaminobiphenyl)</i> * <i>α-Naphthylamine</i> * <i>β-Naphthylamine</i> Aniline o-Anisidine (2-Methoxyaniline) 2,4-Diaminotoluene o-Toluidine |
| Aromatic Hydrocarbons | * <i>Benzene</i> Benz[<i>a</i>]anthracene Benzof[<i>a</i>]pyrene |
| Natural Products (Including Anti-Tumor Drugs) | Adriamycin Aflatoxins Bleomycin Cisplatin Progesterone Reserpine Safrole |
| Miscellaneous Organic Compounds | * <i>Formaldehyde (gas)</i> Acetaldehyde 1,4-Dioxane Ethyl Carbamate (Urethane) Hexamethylphosphoramide 2-Nitropropane Styrene Thiourea Thioacetamide |
| Miscellaneous Inorganic Compounds | * <i>Arsenic and certain As compounds</i> * <i>Chromium and certain Cr compounds</i> * <i>Thorium Dioxide</i> Beryllium and certain Be compounds Cadmium and certain Cd compounds Lead and certain Pb compounds Nickel and certain Ni compounds Selenium Sulfide |

APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-2 – PARTIAL LIST OF INCOMPATIBLE CHEMICALS

| CHEMICAL | IS INCOMPATIBLE WITH |
|------------------------------------|--|
| Acetic Acid | Chromic Acid, Nitric Acid, hydroxyl compounds, Ethylene Glycol, Perchloric Acid, peroxides, permanganates |
| Acetylene | Chlorine, Bromine, Copper, Fluorine, Silver, Mercury |
| Acetone | Concentrated Nitric and Sulfuric Acid mixtures |
| Alkali and Alkaline Earth Metals | Water, Carbon Tetrachloride or other chlorinated metals, hydrocarbons, Carbon Dioxide, halogens |
| Ammonia (anhydrous) | Mercury (e.g. in manometers), Chlorine, Calcium Hypochlorite, Iodine, Bromine, Hydrofluoric Acid (anhydrous) |
| Ammonium Nitrate | Acids, powdered metals, flammable liquids, chlorates, nitrates, Sulfur, finely divided organic or combustible materials |
| Aniline | Nitric Acid, Hydrogen Peroxide |
| Arsenical materials | Any reducing agent |
| Azides | Acids |
| Bromine | See Chlorine |
| Calcium Oxide | Water |
| Carbon (activated) | Calcium Hypochlorite, all oxidizing agents |
| Carbon Tetrachloride | Sodium |
| Chlorates | Ammonium salts, acids, powdered metals, Sulfur, finely divided organic or combustible materials |
| Chromic Acid and Chromium Trioxide | Acetic Acid, Naphthalene, Camphor, Glycerol, alcohols, flammable liquids |
| Chlorine | Ammonia, Acetylene, Butadiene, Butane, Methane, Propane (or other petroleum gases), Hydrogen, Sodium Carbide, Benzene, finely divided metals, Turpentine |
| Chlorine Dioxide | Ammonia, Methane, Phosphine, Hydrogen Sulfide |
| Copper | Acetylene, Hydrogen Peroxide |
| Cumene Hydroperoxide | Acids (organic or inorganic) |
| Cyanides | Acids |
| Flammable Liquids | Ammonium Nitrate, Chromic Acid, Hydrogen Peroxide, Nitric Acid, Sodium Peroxide, halogens |
| Fluorine | Isolate from everything |
| Hydrocarbons | Fluorine, Chlorine, Bromine, Chromic Acid, Sodium Peroxide |
| Hydrocyanic Acid | Nitric Acid, alkalis |
| Hydrofluoric Acid (anhydrous) | Ammonia (aqueous or anhydrous) |

APPENDIX 7C – CHEMICAL INFORMATION

TABLE 7-2 – PARTIAL LIST OF INCOMPATIBLE CHEMICALS CONTINUED

| | |
|--|--|
| Hydrogen Peroxide | Copper, Chromium, Iron, most metals or their salts, alcohols, Acetone, organic materials, Aniline, Nitromethane, combustible materials |
| Hydrogen Sulfide | Fuming Nitric Acid, oxidizing gases |
| Hypochlorites | Acids, Activated Carbon |
| Iodine | Acetylene, Ammonia (aqueous or anhydrous), Hydrogen |
| Mercury | Acetylene, Fulminic Acid, Ammonia |
| Nitrates | Sulfuric Acid |
| Nitric Acid (concentrated) | Acetic Acid, Aniline, Chromic Acid, Hydrocyanic Acid, Hydrogen Sulfide, flammable liquids, flammable gases, Copper, Brass, any heavy metals |
| Nitrates | Sulfuric Acid |
| Nitroparaffins | Inorganic bases, amines |
| Oxalic Acid | Silver, Mercury |
| Oxygen | Oils, grease, Hydrogen, flammable liquids, solids, or gases |
| Perchloric Acid | Acetic Anhydride, Bismuth and its alloys, alcohols, paper, wood, grease, oils |
| Peroxides, Organic | Acids (organic or mineral), avoid friction, store cold |
| Phosphorous (white) | Air, Oxygen, alkalis, reducing agents |
| Phosphorous Pentoxide | Water |
| Potassium | Carbon Tetrachloride, Carbon Dioxide, water |
| Potassium Chlorate | Sulfuric and other acids |
| Potassium Perchlorate (also see chlorates) | Sulfuric and other acids |
| Potassium Permanganate | Glycerol, Ethylene Glycol, Benzaldehyde, Sulfuric Acid |
| Selenides | Reducing agents |
| Silver | Acetylene, Oxalic Acid, Tartaric Acid, ammonium compounds, Fulminic Acid |
| Sodium | Carbon Tetrachloride, Carbon Dioxide, water |
| Sodium Nitrate | Ammonium Nitrate and other ammonium salts |
| Sodium Peroxide | Ethyl or Methyl Alcohol, Glacial Acetic Acid, Acetic Anhydride, Benzaldehyde, Carbon Disulfide, Glycerin, Ethylene Glycol, Ethyl Acetate, Methyl Acetate, Furfural |
| Sulfides | Acids |
| Sulfuric Acid | Potassium Chlorate, Potassium Perchlorate, Potassium Permanganate, similar compounds of light metals such as sodium or lithium |
| Tellurides | Reducing Agents |

APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-3 – PARTIAL LIST OF FLAMMABLE LIQUIDS

| CHEMICAL | FLASH POINT | BOILING POINT | IGNITION TEMPERATURE | FLAMMABLE LIMIT (% BY VOLUME AIR) | |
|---------------------|-------------|---------------|----------------------|-----------------------------------|-------|
| | (°C) | (°C) | (°C) | LOWER | UPPER |
| Acetaldehyde | -37.8 | 21.1 | 175.0 | 4.0 | 60.0 |
| Acetone | -17.8 | 56.7 | 465.0 | 2.6 | 12.8 |
| Benzene | -11.1 | 80.0 | 560.0 | 1.3 | 7.1 |
| Carbon Disulfide | -30.0 | 46.1 | 80.0 | 1.3 | 50.0 |
| Cyclohexane | -20.0 | 81.7 | 245.0 | 1.3 | 8.0 |
| Diethyl Ether | -45.0 | 35.0 | 160.0 | 1.9 | 36.0 |
| Ethyl Alcohol | 12.8 | 78.3 | 365.0 | 3.3 | 19.0 |
| <i>N</i> -Heptane | -3.9 | 98.3 | 215.0 | 1.05 | 6.7 |
| <i>N</i> -Hexane | -21.7 | 68.9 | 225.0 | 1.1 | 7.5 |
| Isopropyl Alcohol | 11.7 | 82.8 | 398.9 | 2.0 | 12.0 |
| Methyl Alcohol | 11.1 | 64.9 | 385.0 | 6.7 | 36.0 |
| Methyl Ethyl Ketone | -6.1 | 80.0 | 515.6 | 1.8 | 10.0 |
| Pentane | -40.0 | 36.1 | 260.0 | 1.5 | 7.8 |
| Styrene | 32.2 | 146.1 | 490.0 | 1.1 | 6.1 |
| Toluene | 4.4 | 110.6 | 480.0 | 1.2 | 7.1 |
| <i>p</i> -Xylene | 27.2 | 138.3 | 530.0 | 1.1 | 7.0 |

Appendix 7C – Chemical Information
TABLE 7-4 – PARTIAL LIST OF CORROSIVES

| | |
|---------------|---|
| ACIDS | Nitric [7697-37-2] Sulfuric [7664-93-9] Phosphoric [7664-33-2] Hydrochloric [7647-01-0] Acetic [64-19-7] Chromic [7738-94-5] Perchloric [7601-90-3] Periodic [10450-60-9] Hydrofluoric [7664-39-3] Chloroacetic [79-11-8] Cresylic [1319-77-3] |
| BASES | Sodium Hydroxide [1310-73-2] Potassium Hydroxide [1310-58-3] Ammonium Hydroxide 1336-21-6] Calcium Oxide [1305-78-8] Sodium Carbonate [497-19-8] Potassium Carbonate [584-08-7] Calcium Carbonate [471-34-1] Trisodium Phosphate [7601-54-9] Barium Hydroxide [17194-00-2] Barium Carbonate [513-77-9] |
| OTHERS | Bromine [7726-95-6] Glutaraldehyde [111-30-8] |

APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-5 – PARTIAL LIST OF REACTIVE CHEMICALS

WATER-REACTIVE CHEMICALS

- Alkali metals (Na, Li, K)
- Alkali metal hydrides (LiH, CaH₂, LiAlH₄, NaBH₂)
- Alkali metal amides (NaNH₂)
- Metal alkyls (RLi, RNa, R₃Al, R₂Zn)
- Grignard Reagents (RMgX)
- Halides of nonmetals (BCl₃, BF₃, PCl₃, SiCl₄, S₂Cl₂)
- Inorganic acid halides (POCl₃, SOCl₂, SO₂Cl₂)
- Anhydrous metal halides (AlCl₃, TiCl₄, ZrCl₄, SnCl₄)
- Phosphorous Pentoxide [1314-56-3]
- Calcium Carbide [75-20-7]
- Organic acid halides and anhydrides of low molecular weight, such as acetylchloride acetic acid anhydride

PYROPHORIC CHEMICALS

- Grignard Reagents (RMgX)
- Metal alkyls and aryls (RLi, RNa, R₃Al, R₂Zn)
- Metal carbonyls
- Alkali metals (Na, Li, K)
- Metal powders (Al, Co, Fe, Mg, Mn, Pd, Pt, Ti, Sn)
- Metal Hydrides (NaH, LiAlH₄)
- Nonmetal hydrides (B₂H₆ and other boranes, PH₃, AsH₃)
- Nonmetal alkyls (R₃B, R₃P, R₃As)
- Phosphorous (white) [7723-14-0]

PEROXIDE FORMING CHEMICALS
List A: Discard within 3 months

- Diisopropyl Ether (Isopropyl Ether) [108-20-0]
- Divinylacetylene (DVA) [821-03-9]
- Potassium metal [7440-09-7]
- Potassium Amide
- Sodium Amide (Sodamide) [7782-92-5]
- Vinylidene Chloride (1,1-Dichloroethylene) [75-35-4]

APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-5 – PARTIAL LIST OF REACTIVE CHEMICALS CONTINUED

PEROXIDE FORMING CHEMICALS

List B: Do not distill or evaporate without testing for the presence of peroxides. Discard or test for peroxides after 6 months.

- Acetaldehyde Diethyl Acetal (Acetal) [105-57-7]
- Cumene (Isopropyl Benzene) [98-82-8]
- Cyclohexene [110-83-8]
- Cyclopentene [142-29-0]
- Decalin (Decahydronaphthalene) [91-17-8]
- Diacetylene (Butadiene) [106-99-0]
- Diethyl Ether (Ether) [60-29-7]
- Diethylene Glycol Dimethyl Ether (Diglyme) [111-96-6]
- Dioxane [123-91-1]
- Ethylene Glycol Dimethyl Ether (Glyme) [110-71-4]
- Ethylene Glycol Ether Acetates
- Ethylene Glycol Monoethers (Cellosolves) [109-86-4] is one example
- Furan [110-00-9]
- Methylacetylene [74-99-7]
- Methylcyclopentane [96-37-7]
- Tetrahydrofuran (THF) [109-99-9]
- Tetralin (Tetrahydronaphthalene) [119-64-2]
- Vinyl Ethers includes [111-34-2], [109-92-2]

PEROXIDE FORMING CHEMICALS

**List C: Normal Liquids. Discard or test for peroxides after 6 months.
(TREAT AS LIST B)**

- Chloroprene (2-Chloro-1,3-butadiene) [126-99-8]
- Styrene [100-42-5]
- Vinyl Acetate [108-05-4]
- Vinylpyridine [1337-81-1]
- Isoamyl alcohol [123-51-3]
- 2-Propanol [67-63-0]

Normal Gases. Discard after 12 months.

- Butadiene [106-99-0]
- Tetrafluoroethylene (TEE) [116-14-3]
- Vinylacetylene (MVA)
- Vinyl Chloride

**APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-6 – COMPRESSED AND LIQUEFIED GASES**

| GAS | THRESHOLD LIMIT VALUES (PPM) | FLAMMABILITY LIMITS IN AIR (% BY VOL) | MAJOR HAZARDS |
|------------------------------|---|--|--|
| Acetylene (dissolved) | Not established* | 2.5-81.0 | Flammable, asphyxiant |
| Ammonia (liquid) | 25 | 15-28 | Toxic |
| Argon | Not established (non-toxic) | None | Asphyxiant |
| Boron Trifluoride | 1 | None | Toxic, causes burns |
| 1,3-Butadiene (liquid) | 10 | 2-11.5 | Flammable, skin irritant, suspect carcinogen |
| Butane (liquid) | Not established* | 1.9-8.5 | Flammable |
| Carbon Dioxide (liquid) | 5000 | None | Flammable, toxic |
| Carbon Monoxide | 50 | 12.5-74.0 | Toxic, severe |
| Chlorine (liquid) | 0.5 | None | Irritant, causes burns, corrosive |
| Ethane (liquid) | Not established* | 3.0-12.5 | Flammable, asphyxiant |
| Ethylene | Not established* | 3.1-32.0 | Flammable, asphyxiant |
| Ethylene Oxide (liquid pure) | 1 | 3.0-100.0 | Flammable, toxic, can cause burns when trapped by clothes or shoes, suspect carcinogen |
| Helium | Not established | None | Asphyxiant |
| Hydrogen | Not established | 4.0-75.0 | Flammable, asphyxiant |
| Hydrogen Bromide (liquid) | 3 | None | Toxic, causes burns, corrosive |
| Hydrogen Chloride (liquid) | 5 | None | Toxic, causes burns, corrosive |
| Hydrogen Fluoride (liquid) | 3 | None | Toxic, causes severe slow healing burns, corrosive |
| Hydrogen Sulfide (liquid) | 10 | 4.3-45.0 | Toxic, flammable, irritant |
| Methane | Not established | 5.3-14.0 | Flammable, asphyxiant |
| Methyl Bromide (liquid) | 5 | 13.5-14.5 | Toxic, causes burns |
| Methyl Chloride (liquid) | 50 | 10.7-17.4 | Toxic, flammable |
| Methyl Mercaptan (liquid) | 0.5 | Unknown | Toxic, flammable |

APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-6 – COMPRESSED AND LIQUEFIED GASES - CONTINUED

| | | | |
|------------------------------|--------------------------------|----------|---|
| Nitrogen | Not established (non-toxic) | None | Asphyxiant |
| Nitrogen Dioxide (liquid) | 3 | None | Toxic, corrosive |
| Oxygen | Non-toxic | None | Highly reactive |
| Phosgene (liquid) | 0.1 | None | Toxic |
| Propane (liquid) | Not established* | 2.2-9.5 | Flammable, asphyxiant |
| Sulfur Dioxide (liquid) | 2 | None | Toxic, causes burns |
| Vinyl Chloride | 5 | 4.0-22.0 | Flammable, causes burns, human carcinogen |

* non-toxic, produces anesthetic effects

APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-7 – PARTIAL LIST OF SELECT CARCINOGENS

- 2-Acetylaminofluorene
- Acrylonitrile [107-13-1]
- Aflatoxins [1402-68-2]
- 4-Aminobiphenyl [92-67-1]
- Analgesic mixtures containing phenacetin [62-44-2]
- Arsenic and certain arsenic compounds [7440-38-2]
- Asbestos [132207-33-1]
- Azathioprine [446-86-6]
- Benzene [71-43-2]
- Benzidine [92-87-5]
- Bis(chloromethyl) ether and technical grade chloromethyl methyl ether
- 1,4-Butanediol Dimethylsulfonate (Myleran) [55-98-1]
- 1-(2-Chloroethyl)-3-(4-Methylnitrobiphenylcyclohexyl4-)-1-Nitrosourea (ME CCNU)
- Chlorambucil [305-03-3]
- Chloromethyl methyl ether [107-30-2]
- Chromium and certain chromium compounds [7440-47-3]
- Conjugated estrogens
- Cyclophosphamide [50-18-0]
- 1,2-Dibromo-3-chloropropane [96-12-8]
- 3,3'-Dichlorobenzidine and its salts
- Diethylstilbestrol [6898-97-1]
- 4-Dimethylaminoazobenzene (methyl yellow) [60-11-7]
- Erionite [12510-42-8]
- Ethylene Oxide [75-21-8]
- Ethyleneimine [151-56-4]
- Formaldehyde [50-00-0]
- Melphalan [148-82-3]
- Methoxsalen with ultraviolet A therapy (8-methoxpsoralen) [298-81-7]
- 4,4'-Methylene-bis(2-chloroaniline) [101-14-4]
- Bis(2-Chloroethyl)sulfide (mustard gas) [505-60-2]
- N,N'-bis(2-Chloroethyl)-2-naphthylamine (chlornaphazine)
- α -Naphthylamine [134-32-7]
- β -Naphthylamine (2-aminonaphthalene) [91-59-8]
- N-Nitrosodimethylamine [62-75-9]
- β -Propiolactone [57-57-8]
- Thorium dioxide [1314-20-1]
- Tresulphan [299-75-2]
- Vinyl Chloride [75-01-4]

APPENDIX 7C – CHEMICAL INFORMATION

TABLE 7-8 – REGULATED CARCINOGENS (SUBSTANCES REASONABLY ANTICIPATED TO CAUSE CANCER IN HUMANS)

- Acetaldehyde [75-07-0]
- 2-Acetylaminofluorene [53-96-3]
- Acrylamide [79-06-1]
- Acrylonitrile [107-13-1]
- Adriamycin [23214-92-8]
- 2-Aminoanthraquinone [117-79-3]
- o-Aminoazotoluene [97-56-3]
- 1-Amino-2-methylantraquinone [82-28-0]
- Amitrole [61-82-5]
- o-Anisidine hydrochloride [134-29-2]
- Benzotrichloride [98-07-7]
- Beryllium and certain beryllium compounds [7440-41-7]
- Bischloroethyl nitroso-urea [154-93-8]
- Bromodichloromethane [75-27-4]
- 1,3-Butadiene [106-99-0]
- Butylated hydroxyanisole [25013-16-5]
- Cadmium and certain cadmium compounds [7440-43-9]
- Carbon tetrachloride [56-23-5]
- Chlorendic acid [115-28-6]
- Chlorinated paraffins (C₁₂, 60% chlorine) [108171-26-2]
- Chloroform [67-66-3]
- 1-(2-Chloroethyl)-3-cyclohexyl-1-nitrosourea (CCNU) [13010-47-4]
- 3-Chloro-2-methylpropene [563-47-3]
- 4-Chloro-o-phenylenediamine [95-83-0]
- C.I. Basic Red 9 Monohydrochloride [569-61-9]
- Cisplatin [15663-27-1]
- p-cresidine [120-71-8]
- Cupferron [135-20-6]
- Dacarbazine [4342-03-4]
- DDT [50-29-3]
- 2,4-Diaminoanisole Sulfate [123333-56-2]
- 2,4-Diaminotoluene [95-80-7]
- 1,2-Dibromo-3-chloropropane [96-12-8]
- 1,2-Dibromoethane (EDB) [106-93-4]
- 1,4-Dichlorobenzene [106-46-7]
- 3,3'-Dichlorobenzidine [91-94-1]
- 3,3'-Dichlorobenzidine-dihydrochloride
- 1,2-Dichloroethane [107-06-2]
- Dichloromethane (methylene chloride) [75-09-2]
- 1,3-Dichloropropene (technical grade) [542-75-6]
- Diepoxybutane [1464-53-5]
- Di(2-ethylhexyl)phthalate
- Diethyl Sulfate [64-67-5]
- Diglycidyl Resorcinol Ether
- 3,3'-Dimethoxybenzidine and 3,3'-Dimethoxybenzidine [119-90-4] Hydrochloride
- 4-Dimethylaminoazobenzene [60-11-7]
- Dimethylcarbamide Chloride
- 3,3'-Dimethylbenzidine [119-93-7]
- 1,1'-Dimethylhydrazine
- Dimethyl Sulfate [77-78-1]
- Dimethylvinyl Chloride
- 1,4-Dioxane [123-91-1]
- Direct Black 38 [1937-37-7]
- Direct Black 6
- Epichlorohydrin [67843-74-7]
- Estrogens (not conjugated): Estradiol-17 [79037-37-9]
- Estrogens (not conjugated): Estrone [285979-80-8]
- Estrogens (not conjugated): Ethinylestradiol [57-63-6]
- Estrogens (not conjugated): Mestranol [72-33-3]
- Ethyl Acrylate [140-88-5]
- Ethylene Oxide [84508-46-3]
- Ethylene Thiourea [96-45-7]
- Ethyl Methanesulfonate [62-50-0]
- Formaldehyde (gas) [1664-98-8]
- Hexachlorobenzene [118-74-1]
- Hexamethylphosphoramide [680-31-9]

- Hydrazine and Hydrazine Sulfate [301-01-2]
- Hydrazobenzene [122-66-7]
- Iron Dextran Complex [9004-66-4]
- Kepone® (Chlordecone)
- Lead Acetate [546-67-8]
- Lead Phosphate [7446-27-7]
- Lindane and other [319-84-6] hexachlorocyclo-hexane isomers
- 2-Methylaziridine (Propyleneimine) [75-55-8]
- 4,4'-Methylenebis(2-Chloroaniline) [101-14-4]
- 4-4'-Methylenebis(N,N-dimethyl)benzenamine
- 4,4'-Methylenedianiline and its dihydrochloride [101-77-9]
- Methyl Methanesulfonate [66-27-3]
- N-Methyl-N'-nitro-N-nitrosoguanidine
- Metronidazole [443-48-1]
- Michler's Ketone
- Mirex [2385-85-5]
- Nickel and certain nickel compounds [7440-02-0]
- Nitrilotriacetic Acid [139-13-9]
- Nitrofen [1836-75-5]
- Nitrogen Mustard Hydrochloride [55-86-7]
- 2-Nitropropane [79-46-9]
- N-Nitrosodi-N-butylamine [924-16-3]
- N-Nitrosodiethanolamine [1116-54-7]
- N-Nitrosodiethylamine [55-18-5]
- N-Nitrosodimethylamine [62-75-9]
- N-Nitrosodi-N-propylamine [621-64-7]
- N-Nitroso-N-ethylurea
- 4-(N-Nitrosomethylamine)-1-(3-pyridyl)-1-Butanone
- N-Nitroso-N-methylurea [684-93-5]
- N-Nitrosomethylvinylamine [4549-40-0]
- N-Nitrosomorphonline [59-89-2]
- N-Nitrosornicotine [80508-23-2]
- N-Nitrosopiperidine [100-75-4]
- N-Nitrosopyrrolidine [930-55-2]
- N-Nitrososarcosine [13256-22-9]
- Norethisterone [68-22-4]
- Ochratoxin A [303-47-9]
- 4,4'-Oxydianiline [101-80-4]
- Oxymetholone [434-07-1]
- Phenacetin [72156-72-0]
- Phenazopyridine Hydrochloride
- Phenoxybenzamine Hydrochloride [63-92-3]
- Phenytoin [57-41-0]
- Polybrominated Biphenyls [59536-65-1]
- Polychlorinated Biphenyls [1336-36-3]
- Procarbazine Hydrochloride
- Progesterone [57-83-0]
- 1,3-Propane Sultone [1120-71-4]
- β -Propiolactone [57-57-8]
- Propylene Oxide [75-56-9]
- Propylthiouracil [51-55-2]
- Reserpine [50-55-5]
- Saccharin [81-07-2]
- Safrole [94-59-7]
- Selenium Sulfide [7488-56-4]
- Silica, Crystalline (respirable), Quartz, Cristobalite, Tridymite [14464-46-1]
- Streptozotocin [18883-66-4]
- Sulfallate [95-06-7]
- 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) [1746-01-6]
- Tetrachloroethylene [127-18-4] (Perchloroethylene)
- Thioacetamide [62-55-5]
- Thiourea [113899-66-4]
- Toluene Diisocyanate [584-84-9]
- o-Toluidine [95-53-4]
- o-Toluidine Hydrochloride [636-21-5]
- Toxaphene [8001-35-2]
- 2,4,6-Trichlorophenol [88-06-1]
- Tris(1-Aziridiny)Phosphine Sulfide [52-24-4]
- Tris(2,3-Dibromopropyl) Phosphate [126-72-7]
- Urethane [73962-67-9]
- Polycyclic Aromatic Hydrocarbons [130498-29-2]
- Benz[A]Anthracene [56-55-3]
- Benzo[B]Fluoranthene [205-99-2]
- Benzo[J]Fluoranthene

- Benzo[K]Fluoranthene [207-08-9]
- Benzo[A]Pyrene [206752-38-7]
- Dibenz[A, H]Acridine [226-36-8]
- Dibenz[A, J]Acridine [224-42-0]
- Dibenz[A,H]Anthracene [215-58-7]
- 7H-Dibenzo[C,G]Carbazole [56114-47-7]
- Dibenzo[A,E] [A,H] [A,I] [A,L] Pyrene
- Ideno[1,2,3-CD]Pyrene5-Methylchrysene
- 5-Methylchrysene [3697-24-3]

APPENDIX 7C – CHEMICAL INFORMATION
TABLE 7-9 –PARTIAL LIST OF REPRODUCTIVE TOXINS (TERATOGENS)

- Acrylic Acid [79-10-7]
- Aniline [18960-62-8]
- Benzene [71-43-2]
- Cadmium [7440-43-9]
- Carbon Disulfide [75-15-0]
- N,N-Dimethylacetamide [127-19-5]
- Dimethylformamide (DMF) [4472-41-7]
- Dimethyl Sulfoxide (DMSO) [2206-27-1]
- Diphenylamine [[122-39-4]
- Estradiol [50-28-2]
- Formaldehyde [50-00-0]
- Formamide [51284-91-4]
- Hexachlorobenzene [118-74-1]
- Iodoacetic Acid [64-69-7]
- Lead compounds [7439-92-1]
- Mercury compounds
- Nitrobenzene [98-95-3-]
- Nitrous Oxide [10024-97-2]
- Phenol [13127-88-3]
- Polychlorinated and Polybrominated Biphenyls
- Toluene [108-88-3]
- Vinyl Chloride [75-01-4]
- Xylene
 - O-XYLENE [95-47-6]
 - M-XYLENE [108-38-3]
 - XYLENES [1330-20-7]

APPENDIX 7C – CHEMICAL INFORMATION

TABLE 7-10 – TOXIC METALS AND TOXIC METAL COMPOUNDS

** = acutely or highly toxic

- Antimony and antimony compounds [7440-36-0]
- **Arsenic and arsenic compounds, arsine [7440-38-2]
- Barium, soluble barium compounds, barium sulfate [7440-39-3]
- Beryllium compounds [7440-41-7]
- Boron, borates, boron halides [7440-42-8]
- **Cadmium salts [7440-43-9]
- Chromium compounds [7440-47-3]
- Germanium tetrahydride
- Indium compounds [7440-74-6]
- Iron salts, soluble [7439-89-6]
- Lead salts and organo compounds [[7439-92-1]
- Manganese compounds [7439-96-5]
- **Mercury and mercury compounds, organo compounds [7439-97-6]
- Molybdenum compounds [7439-98-7]
- **Nickel compounds [7440-02-0]
- Osmium compounds, tetroxide [7440-04-2]
- Rhodium compounds [7440-16-6]
- Selenium compounds [7782-49-2]
- Silver compounds, soluble [7440-22-4]
- Tellurium compounds [13494-80-9]
- Thallium compounds, soluble [7440-28-0]
- Tin compounds, inorganic and organic [7440-31-5]
- Tungsten compounds, soluble [7440-33-7]
- Uranium compounds
- Yttrium metal and compounds [7440-65-5]
- Zinc, chromates, oxide dust [7440-66-6]
- Zirconium compounds [7440-67-7]

** = Acutely or highly toxic metal

**APPENDIX 7D - DEPARTMENT SPECIFIC INFORMATION
TABLE 7D-1 – LOCATIONS OF DESIGNATED AREAS**

DEPARTMENT SHANNON POINT MARINE CENTER
 DEPARTMENT HEAD/CHEMICAL HYGIENE OFFICER GENE MCKEEN
 BUILDING SHANNON POINT MARINE CENTER

| ROOM NUMBER | LABORATORY SUPERVISOR | CLASS OF CHEMICAL OR NAME | DESIGNATED LOCATION(S) IN ROOM (HOOD NUMBER) |
|--------------------|------------------------------|---|---|
| MC 204 | Dr. Suzanne Strom | Radioisotopes/C14 | Shelves FC9 and FC10 |
| ME 34 | Dr. Kathy Van Alstyne | Select Carcinogens, Reproductive Toxins | |
| MC 03 | Dr. Kathy Van Alstyne | Reproductive Toxins, Select Carcinogens (Formaldehyde) | 4' Fume Hood |
| MC03 | Dr. Brooke Love | Highly Toxic Chemicals (Mercuric Chloride) | Area designated by red/yellow tape; 4' Fume Hood |
| ME 35 | Dr. Kathy Van Alstyne | Reproductive Toxins, Select Carcinogens, Highly Toxic Chemicals | |
| | | | |
| | | | |

Maintain this table in the Department Safety Information Book, Section 7, Chemical Hygiene Plan.

Provide a copy to the Environmental Health and Safety Office, MS 9018

**APPENDIX 7D - DEPARTMENT SPECIFIC INFORMATION
Table 7D-2 –CHEMICAL HYGIENE PERSONNEL**

CHEMICAL HYGIENE OFFICER

| | | |
|------------------------------|--|----------------------|
| Name: Gayle Shipley | Title: Director, Environmental Health and Safety | |
| Location: Old Main, Room 345 | Extension: 6512 | Home Phone: 647-9394 |
| | Cell Phone: 739-0185 | Pager: 650-3064 |

SPMC CHEMICAL HYGIENE OFFICER

| | | |
|----------------------------|---|--|
| Name: Gene McKeen | Title: Manager of Academic Support Services | |
| Location: ME 144 | Extension: 223 | |
| Home Phone: (360) 293-0357 | Cell Phone: (360) 293-7843 | |

SPMC SUPERVISOR OF MARINE CHEMISTRY FACILITIES

| | | |
|----------------------------|----------------------------|--|
| Name: Kathy Van Alstyne | Title: Marine Scientist | |
| Location: ME 142 | Extension: 226 | |
| Home Phone: (360) 299-0614 | Cell Phone: (360) 840-6964 | |

SPMC MARINE CHEMISTRY TECHNICIAN

| | | |
|---------------------|------------------------------------|--|
| Name: Horng-Yuh Lee | Title: Marine Chemistry Technician | |
| Location: ME39 | Extension: | |
| Home Phone: | Cell Phone: | |

WWU MEDICAL DIRECTOR - CONTACT DIRECTOR OF ENVIRONMENTAL HEALTH AND SAFETY

DEPARTMENT LABORATORY SUPERVISORS (PRINCIPAL INVESTIGATORS)

| | |
|------------------------|-----------------------------------|
| Dr. Brooke Love | (h) 360-676-7460 (c) 206-300-4999 |
| Dr. Jude Apple* | (h) 360 630-1839 |
| Dr. Paul Dinnel | (h) 360-299-8468 |
| Dr. Suzanne Strom* | (h) 360-468-4325 |
| Dr. Brian Bingham | (h) 360-550-7518 |
| Dr. Steve Sulkin | (h) 360-676-5299 |
| Dr. Kathy Van Alstyne* | (c) 360-840-6496 |
| Dr. Brady Olsen | (c) 206-979-9883 |

*members of SPMC Chemical Control Board